CLAIMS

1. A method of transferring data from a first application to a second application comprising:

    a.   determining a format associated with said data;

    b.   ascertaining a location of said data;

    c.   packing said format and said location into a message having a predefined format;

    d.   transferring said message from said first application to said second application;

    e.   unpacking said message to determine said format and said location; and

    f.   accessing said data by said second application using said format and said location.

2. A method according to claim 1 wherein said data further comprises a plurality of data objects.

3. A method according to claim 2 wherein said predefined format further comprises Extended Markup Language.

4. A method according to claim 3 wherein said transferring step further comprises transferring via a publically accessible digital data communication network..

5. A method according to claim 4 wherein said publically accessible digital data communication network further comprises the Internet.

6. An apparatus comprising:

    a. a first application program;

22

b. a second application program responsively coupled to said first application program;

c. a message having a preexisting format generated by said first application program for transfer to said second application program;

d. a data object responsively coupled to said first application program having a location

5   and having a format; and

e. wherein said message contains a definition of said location and said format.

7. The apparatus of claim 6 further comprising a publically accessible digital data

communication network wherein said first application program is responsively coupled to said

10   second application program via said publically accessible digital data network.

8. The apparatus of claim 7 wherein said preexisting format further comprises Extended

Markup Language.

15   9. The apparatus of claim 8 further comprising a user terminal containing said first application

program.

10. The apparatus of claim 9 wherein said publically accessible digital data communication

network further comprises the Internet.

20

11. An apparatus comprising:

a. first application program means for providing a user interface;

b. second application program means responsively coupled to said first application program means for offering a data processing service;

c. data object means responsively coupled to said first application program means having a location and a format; and

5   d. message generation means responsively coupled to said first application program means for preparing a message having a preexisting format for transfer of said location and format of said data object means from first application program means to said second application program means.

10   12. An apparatus according to claim 11 wherein said permitting means further comprises means for generating a second service request.

13. An apparatus according to claim 12 further comprising publically accessible digital data communication network means for responsively coupling said first application program means

15   and said second application program means.

14. An apparatus according to claim 13 wherein said publically accessible digital data communication network means further comprises the Internet.

20   15. An apparatus according to claim 14 wherein said preexisting format further comprises Extended Markup Language.

16. In a data processing system having a first application program responsively coupled to a second application program, the improvement comprising:

    a. a data object having a location and a format;

    b. a message having a preexisting format for transfer from said first application program to said second application program; and

    c. wherein said message contains said location and format.

17. The improvement according to claim 16 further comprising a publically accessible digital data communication network which responsively couples said first application program to said second application program.

18. The improvement according to claim 17 wherein said publically accessible digital data communication network further comprises the Internet.

19. The improvement according to claim 18 further comprising a user terminal housing said first application program.

20. The improvement according to claim 19 wherein said preexisting format further comprises Extended Markup Language.

21.   An apparatus comprising:

    a. a user terminal having a first application program;

25

b. a second application program responsively coupled to said first application program via a publically accessible digital data network;

c. a message having a preexisting Extended Markup Language format generated by said first application program for transfer to said second application program;

d. a data object responsively coupled to said first application program having a location and having a second format which is incompatible with said preexisting Extended Markup Language; and

e. wherein said message contains a definition of said location and said second format.

5